

If that which shelters us is vulnerable, so are we.

IPS leaves nothing to chance. We use only the finest materials and proven production techniques in manufacturing our products.

Standard Size Residential Roof Vent Flashings

The traditional standard roof vent flashings with bases made from the latest incarnations of hard plastic, all flexible elastomer, galvanized steel or aluminum.



IPS CORPORATION HAS LONG BEEN RECOGNIZED FOR ITS COMMITMENT TO IMPROVING THE BUILDING TRADE INDUSTRY. FROM INTRODUCING AMERICA'S FIRST PLASTIC PIPE SOLVENT CEMENT TO THE FIRST ADJUSTABLE MULTI-SIZE ROOF VENT FLASHING, IPS HAS ASSUMED THE LEAD.

FURTHER EVIDENCE OF THIS COMMITMENT CAME IN 1992 WITH THE BIRTH OF "IPS ROOFING PRODUCTS DIVISION," DEDICATED SOLELY TO THE ROOFING INDUSTRY. WITH A SEPARATE SALES & MARKETING AND RESEARCH & DEVELOPMENT STAFF, WE HAVE ONLY BEGUN OUR CLIMB TO BECOMING THE PREFERRED CHOICE.

WE HAVE EXPERIENCED MUCH SUCCESS DUE LARGELY TO SOME WELL FOCUSED PRACTICES THAT INCLUDE:

- ATTENTION TO THE INTERESTS OF OUR CUSTOMERS
- PRODUCT INNOVATION AND SUPERIOR WORKMANSHIP
- UNSURPASSED CUSTOMER SERVICE
- PROFESSIONALISM AT ALL LEVELS
- TOTAL DEDICATION TO THE ROOFING INDUSTRY

IF YOU ARE ONE OF OUR MANY SATISFIED CUSTOMERS OR A PROSPECTIVE ONE, WE THANK YOU FOR CONSIDERING IPS CORPORATION.



Product Description	Vent Size	Stock Number	Model Number	UPC BarCode	Cu. Ft./ Case	Units/ Case	Lbs./ Case	1-800-888-8312 Fax 901-853-5008
---------------------	-----------	--------------	--------------	-------------	---------------	-------------	------------	------------------------------------

STANDARD SIZE ALL FLEXIBLE ROOF FLASHINGS / All flexible elastomer flashings.

9" x 11 3/8" Base	1 1/4" or 1 1/2"	81800	FB 1	012181-818008	0.300	20	14	
9" x 11 3/8" Base	2"	81805	FB 2	012181-818053	0.300	20	14	
10" x 13 1/4" Base	3"	81810	FB 3	012181-818101	0.460	20	14	
12" x 14 3/4" Base	4"	81815	FB 4	012181-818152	0.750	20	17	



STANDARD SIZE GALVANIZED STEEL BASE ROOF FLASHINGS / 24 gauge galvanized steel base with elastomer collar.

8 3/4" x 12 1/2" Base	1 1/4" or 1 1/2"	81850	GB 1	012181-818503	1.270	20	20	
8 3/4" x 12 1/2" Base	2"	81855	GB 2	012181-818558	1.270	20	20	
10 3/4" x 14 1/2" Base	3"	81860	GB 3	012181-818602	1.599	20	28	
12" x 16" Base	4"	81865	GB 4	012181-818657	1.660	20	33	
8 3/4" x 12 1/2" Base	1/2", 3/4" or 1"	81870	GB 5	012181-818701	1.270	20	20	
18" x 18" Base	1 1/4" or 1 1/2"	81872	GB 118	012181-818725	2.590	15	46	
18" x 18" Base	2"	81874	GB 218	012181-818749	2.590	15	46	
18" x 18" Base	3"	81876	GB 318	012181-818763	2.590	15	46	
18" x 18" Base	4"	81878	GB 418	012181-818787	2.590	15	46	
18" x 18" Base	1/2", 3/4" or 1"	81879	GB 518	012181-818794	2.590	15	46	



STANDARD SIZE ALUMINUM BASE ROOF FLASHINGS / 25 mil. aluminum base with elastomer collar.

8 3/4" x 12 1/2" Base	1 1/4" or 1 1/2"	81900	AB 1	012181-819005	1.270	20	9	
8 3/4" x 12 1/2" Base	2"	81905	AB 2	012181-819050	1.270	20	9	
10 3/4" x 14 1/2" Base	3"	81910	AB 3	012181-819104	1.599	20	11	
12" x 16" Base	4"	81915	AB 4	012181-819159	1.660	20	15	
8 3/4" x 12 1/2" Base	1/2", 3/4" or 1"	81916	AB 5	012181-819166	1.270	20	20	
18" x 18" Base	1 1/4" or 1 1/2"	81920	AB 118	012181-819203	2.590	15	20	
18" x 18" Base	2"	81925	AB 218	012181-819258	2.590	15	20	
18" x 18" Base	3"	81930	AB 318	012181-819302	2.590	15	20	
18" x 18" Base	4"	81935	AB 418	012181-819357	2.590	15	20	
18" x 18" Base	1/2", 3/4" or 1"	81937	AB 518	012181-819370	2.590	15	46	



STANDARD SIZE RAIN COLLARS

Elastomer Collar	1 1/4" or 1 1/2"	81725	RC 1	012181-817254	1.662	25/100	30	
Elastomer Collar	2"	81730	RC 2	012181-817308	1.662	25/100	30	
Elastomer Collar	3"	81735	RC 3	012181-817353	1.662	25/75	30	
Elastomer Collar	4"	81740	RC 4	012181-817407	1.662	25/75	30	
Elastomer Collar	1/2", 3/4" or 1"	81745	RC 5	012181-817452	1.662	25/75	30	



LOW PROFILE COLLARS

Low Profile Collar	1"	81739	LPC 1	012181-817391	1.662	100	5	
Low Profile Collar	1 1/2"	81741	LPC 15	012181-817414	1.662	100	5	
Low Profile Collar	2"	81742	LPC 2	012181-817421	1.662	100	6	
Low Profile Collar	3"	81743	LPC 3	012181-817438	1.662	100	7	
Low Profile Collar	4"	81744	LPC 4	012181-817445	1.662	100	9	



Product Description	Vent Size	Stock Number	Model Number	UPC BarCode	Cu. Ft./ Case	Units/ Case	Lbs./ Case	1-800-888-8312 Fax 901-853-5008
---------------------	-----------	--------------	--------------	-------------	---------------	-------------	------------	------------------------------------

STANDARD SIZE HARD PLASTIC BASE ROOF FLASHINGS / Hard thermoplastic base with elastomer collar.

9 1/4" x 13" Base	1 1/4" or 1 1/2"	81750	HB 1	012181-817506	1.380	20	7	
11 1/8" x 15" Base	1 1/4" or 1 1/2"	81751	HB 1LB	012181-817513	1.080	20	14	
9 1/4" x 13" Base	2"	81755	HB 2	012181-817551	1.380	20	7	
11 1/8" x 15" Base	2"	81756	HB 2LB	012181-817568	1.080	20	14	
11 1/8" x 15" Base	3"	81760	HB 3	012181-817605	1.080	20	14	
12" x 15 1/2" Base	4"	81765	HB 4	012181-817650	1.080	20	15	
18" x 18" Base	1 1/4" or 1 1/2"	81931	HB118	012181-819319	2.590	10	11	
18" x 18" Base	2"	81932	HB218	012181-819326	2.590	10	11	
18" x 18" Base	3"	81933	HB318	012181-819333	2.590	10	11	



Adjustable Multi-size Residential Roof Vent Flashings

Our adjustable multi-size roof vent flashings offer the convenience of having only two sizes capable of fitting any vent on the roof. Made from the same quality materials as our standard flashings.

Copper & Custom Finish Adjustable Multi-size Roof Vent Flashings

These roof vent flashings add enhancement to their function. Our matte texture, custom finish flashings will look good for the life of the roof, unlike the hand painted variety. Available in the popular shades of brown, black and weathered gray.

Product Description	Vent Size	Stock Number	Model Number	UPC BarCode	Cu. Ft./ Case	Units/ Case	Lbs./ Case	1-800-888-8312 Fax 901-853-5008
ADJUSTABLE MULTI-SIZE HARD PLASTIC BASE ROOF FLASHINGS / Hard thermoplastic base with elastomer collar.								
11 1/8" x 15" Base	1 1/4", 1 1/2", 2", 3"	81700	HB 31	012181-817008	1.080	20	14	
12" x 15 1/2" Base	3" or 4"	81702	HB 34	012181-817025	1.080	20	15	
ADJUSTABLE MULTI-SIZE ALL FLEXIBLE ROOF FLASHINGS / All flexible elastomer flashing.								
10" x 13 1/4" Base	1 1/4", 1 1/2", 2", 3"	81705	FB 31	012181-817056	0.460	20	14	
12" x 14 3/4" Base	3" or 4"	81707	FB 34	012181-817070	0.750	20	17	
ADJUSTABLE MULTI-SIZE GALVANIZED STEEL BASE ROOF FLASHINGS / 24 gauge galvanized steel base with elastomer collar.								
10 3/4" x 14 1/2" Base	1 1/4", 1 1/2", 2", 3"	81710	GB 31	012181-817100	1.599	20	30	
18" x 18" Base	1 1/4", 1 1/2", 2", 3"	81713	GB 3118	012181-817131	2.590	15	46	
12" x 16" Base	3" or 4"	81712	GB 34	012181-817124	1.660	20	33	
18" x 18" Base	3" or 4"	81714	GB 3418	012181-817148	2.590	15	46	
3N1™ AND 3 & 4 GALVANIZED BENT EDGE FLASHING / 24 gauge galvanized base with elastomer collar.								
18" x 18" Base	1 1/4", 1 1/2", 2", 3"	81723	GB3118BE	012181-817230	2.59	10	22	
18" x 18" Base	3" or 4"	81724	GB3418BE	012181-817247	2.59	10	22	
ADJUSTABLE MULTI-SIZE ALUMINUM BASE ROOF FLASHINGS / 25 mil. aluminum base with elastomer collar.								
10 3/4" x 14 1/2" Base	1 1/4", 1 1/2", 2", 3"	81715	AB 31	012181-817155	1.599	20	13	
18" x 18" Base	1 1/4", 1 1/2", 2", 3"	81718	AB 3118	012181-817186	2.590	15	20	
12" x 16" Base	3" or 4"	81717	AB 34	012181-817179	1.660	20	15	
18" x 18" Base	3" or 4"	81719	AB 3418	012181-817193	2.590	15	20	
ADJUSTABLE MULTI-SIZE RAIN COLLARS								
Elastomer Collar	1 1/4", 1 1/2", 2", 3"	81720	RC 31	012181-817209	0.650	20	6	
Elastomer Collar	3" or 4"	81722	RC 34	012181-817223	0.650	20	6	
DEKTITE® ADJUSTABLE MULTI-SIZE PIPE FLASHINGS FOR METAL ROOFING								
Standard pipe flashings.								
4 3/4" Diameter Base	1/4" - 2"	81820	N/A	012181-818206	0.128	10	1.7	
6 1/4" Diameter Base	1 3/4" - 3 1/4"	81821	N/A	012181-818213	0.222	10	3.5	
7 3/4" Diameter Base	1/4" - 4"	81822	N/A	012181-818220	0.266	5	2.3	
9 1/4" Diameter Base	3" - 6"	81823	N/A	012181-818237	0.456	5	3.6	
10 3/4" Diameter Base	4" - 7"	81824	N/A	012181-818244	0.640	5	4.6	
12 1/2" Diameter Base	5" - 9"	81825	N/A	012181-818251	1.002	5	7.8	
14 1/2" Diameter Base	6" - 11"	81826	N/A	012181-818268	1.374	5	9.4	
16 1/2" Diameter Base	7" - 13"	81827	N/A	012181-818275	1.529	5	11.8	
Retro pipe flashings.								
6 3/10" Diameter Base	3/4" - 2 3/4"	81828	N/A	012181-818282	0.222	10	4	
10 3/4" Diameter Base	2" - 7 1/4"	81829	N/A	012181-818299	0.640	5	5.3	
14 1/2" Diameter Base	3 1/4" - 10"	81830	N/A	012181-818305	1.374	5	8.4	



Dektite® is a trademark of the ITW Builder Co.

Product Description	Vent Size	Stock Number	Model Number	UPC BarCode	Cu. Ft./ Case	Units/ Case	Lbs./ Case	1-800-888-8312 Fax 901-853-5008
ADJUSTABLE MULTI-SIZE COPPER BASED ROOF FLASHINGS / 16 ounce copper base with elastomer collar. Individual sizes available.								
10 3/4" x 14 1/2" Base	1 1/4", 1 1/2", 2", 3"	81940	CB 31	012181-819400	0.847	5	10	
12" x 16" Base	3" or 4"	81941	CB 34	012181-819415	0.9150	5	15	
ADJUSTABLE MULTI-SIZE HARD PLASTIC BASE – BROWN								
11 1/8" x 15" Base	1 1/4", 1 1/2", 2", 3"	81701	N/A	012181-817013	1.080	20	14	
12" x 15 1/2" Base	3" or 4"	81706	N/A	012181-817065	1.080	20	15	
CUSTOM FINISH ADJUSTABLE MULTI-SIZE GALVANIZED BASE ROOF FLASHINGS / 24 gauge galvanized steel base with elastomer collar.								
Brown 10 3/4" x 14 1/2" Base	1 1/4", 1 1/2", 2", 3"	81851	N/A	012181-818510		20	30	
Black 10 3/4" x 13 1/4" Base	1 1/4", 1 1/2", 2", 3"	81852	N/A	012181-818527	1.599	20	30	
Gray 10 3/4" x 13 1/4" Base	1 1/4", 1 1/2", 2", 3"	81853	N/A	012181-818534	1.599	20	30	
Brown 12" x 16" Base	3" or 4"	81856	N/A	012181-818565	1.599	20	30	
Black 12" x 16" Base	3" or 4"	81875	N/A	012181-818572	1.660	20	30	
Gray 12" x 16" Base	3" or 4"	81858	N/A	012181-818589	1.660	20	30	
CUSTOM FINISH ADJUSTABLE MULTI-SIZE ALUMINUM BASE ROOF FLASHINGS / 25 mil. aluminum base with elastomer collar.								
Brown 10 3/4" x 14 1/2" Base	1 1/4", 1 1/2", 2", 3"	81901	N/A	012181-819012		20	13	
Black 10 3/4" x 13 1/4" Base	1 1/4", 1 1/2", 2", 3"	81902	N/A	012181-819029	1.599	20	13	
Gray 10 3/4" x 13 1/4" Base	1 1/4", 1 1/2", 2", 3"	81903	N/A	012181-819036	1.599	20	13	
Brown 12" x 16" Base	3" or 4"	81906	N/A	012181-819067	1.599	20	15	
Black 12" x 16" Base	3" or 4"	81907	N/A	012181-819074	1.660	20	15	
Gray 12" x 16" Base	3" or 4"	81908	N/A	012181-819081	1.660	20	15	



IPS Adjustable Multi-Size Residential Roof Flashings are the Result of an Endless Commitment to Labor, Time and Inventory Savings

- Fits Any Roof Pitch from Flat to 45°
- Fully Tested for Ultraviolet, Ozone and Weather Resistance
- Code Approved
- Patented Design
- Warranted for the Life of the Roof System





Commercial Roofing Breather Vents

Jimco, the broadest line of commercial breather vents for many years, is still manufactured to exacting tolerances. Our patented one piece vents, as well as our other vents, are spun from heavy duty .063 aluminum.



Commercial Roof Drains & Accessories

Heavy duty commercial roof drains for 3" and 4" PVC and ABS, and all necessary hardware.

Our quality professional knee pads are designed for residential and commercial roofers

Product Description	Vent Size	Stock Number	Model Number	UPC BarCode	Cu. Ft./ Case	Units/ Case	Lbs./ Case	1-800-888-8312 Fax 901-853-5008
APE-2000 AIR PRESSURE EQUALIZER								
<i>Dimensions</i> - Ht.: 11.25" - Base Dia.: 11.00" - Stack Dia.: 6.00" - Cap Ht.: 4.25"								
Tite Top with Insulator	One-Way	99100	N/A	012181-991008	3.063	4	10	
Tite Top without Insulator	Two-Way	99101	N/A	012181-991015	3.063	4	10	
Removable Top with Insulator	One-Way	99102	N/A	012181-991022	3.063	4	10	
Removable Top without Insulator	Two-Way	99103	N/A	012181-991039	3.063	4	10	
BALLARD JL-10 ONE WAY VENT								
<i>Dimensions</i> - Ht.: 9.75" - Base Dia.: 11.25" - Stack Dia.: 4.25" - Cap Ht.: 1.50"								
One Piece with Insulator	One-Way	99104	N/A	012181-991046	3.063	10	11	
JIMCO SJL-3 ECONOMY VENT								
<i>Dimensions</i> - Ht.: 8.50" - Base Dia.: 8.00" - Stack Dia.: 3.00" - Cap Ht.: 2.50"								
Tite Top with Insulator	One-Way	99105	N/A	012181-991053	3.063	20	16	
Tite Top without Insulator	Two-Way	99106	N/A	012181-991060	3.063	20	16	
JIMCO LT-6 AIR PRESSURE EQUALIZER								
<i>Dimensions</i> - Ht.: 6.50" - Base Dia.: 10.25" - Stack Dia.: 6.00" - Cap Ht.: 4.25"								
Tite Top with Insulator	One-Way	99107	N/A	012181-991077	3.063	8	14	
Tite Top without Insulator	Two-Way	99108	N/A	012181-991084	3.063	8	14	
Removable Top with Insulator	One-Way	99109	N/A	012181-991091	3.063	8	14	
Removable Top without Insulator	Two-Way	99110	N/A	012181-991107	3.063	8	14	
JIMCO BREATHER VENT								
<i>Dimensions</i> - Ht.: 9.50" - Base Dia.: 11.00" - Stack Dia.: 4.25" - Cap Ht.: 2.50"								
Breather Vent	Two-Way	99111	N/A	012181-991114	3.063	10	11	
JIMCO VJ-2 ONE PIECE VENT								
<i>Dimensions</i> - Ht.: 5.50" - Base Dia.: 10.25" - Stack Dia.: 6.00" - Cap Ht.: 2.50"								
One Piece Breather Vent	Two-Way	99115	N/A	012181-991152	3.063	10	10	
JIMCO CJ-30 VENT								
<i>Dimensions</i> - Ht.: 5.50" - Base Dia.: 10.25" - Stack Dia.: 6.00" - Cap Ht.: 1.20"								
Tite Top Vent	Two-Way	99112	N/A	012181-991121	3.063	20	13	
Removable Top Vent	Two-Way	99113	N/A	012181-991138	3.063	20	13	
JIMCO HT-20 LOW PROFILE VENT								
<i>Dimensions</i> - Ht.: 4.50" - Base Dia.: 6.00" - Stack Dia.: 3.00" - Cap Ht.: 2.50"								
Removable Top Vent	Two-Way	99114	N/A	012181-991145	3.063	50	21	
Tite Top Vent	Two-Way	99099	N/A	012181-990995	3.063	50	21	



Product Description	Vent Size	Stock Number	Model Number	UPC BarCode	Cu. Ft./ Case	Units/ Case	Lbs./ Case	1-800-888-8312 Fax 901-853-5008
COMMERCIAL ROOF DRAINS								
PVC w/Plastic Dome	3" PVC	86115	4865	012181-861158	0.727	1	4	
ABS w/Plastic Dome	3" ABS	86120	5865	012181-861202	0.727	1	3	
PVC w/Cast Iron Grate	3" PVC	86095	4863	012181-860953	0.727	1	4	
ABS w/Cast Iron Grate	3" ABS	86100	5863	012181-861004	0.727	1	3	
PVC w/Plastic Dome	4" PVC	86121	4866	012181-861219	0.727	1	5	
ABS w/Plastic Dome	4" ABS	86122	5866	012181-861226	0.727	1	4	
PVC w/Cast Iron Grate	4" PVC	86105	4864	012181-861059	0.727	1	4	
ABS w/Cast Iron Grate	4" ABS	86110	5864	012181-861103	0.727	1	4	
UNDERDECK CLAMPING COLLAR & BEARING PANS								
Underdeck Clamping Collar with Hardware	3" or 4"	86125	5555	012181-861257	0.521	1	1	
RUBBER EXPANSION COUPLING								
Rubber Expansion Coupling	3"	87580	EC 3	012181-875803	0.521	1	1	
Rubber Expansion Coupling	4"	87585	EC 4	012181-875858	0.521	1	1	
ROOF DRAIN KIT								
PVC w/Cast Iron Dome	3"	86096	4863 K	012181-860960	0.727	1	6	
ABS w/Cast Iron Dome	4"	86106	4864 K	012181-861066	0.727	1	7	
PVC w/Plastic Dome	3"	86097	N/A	012181-860977	0.727	1	5	
PVC w/Plastic Dome	4"	86107	N/A	012181-861073	0.727	1	6	
RETROFIT ROOF DRAINS								
Drain Pipe Size: Outlet Outside Diameter: Outlet Length:	3" 76mm 2.75" 70mm .727	86111	N/A	012181-861110	—	6	30#	
Drain Pipe Size: Outlet Outside Diameter: Outlet Length:	4" 102mm 3.75" 95mm .727	86112	N/A	012181-861127	—	6	30#	
Drain Pipe Size: Outlet Outside Diameter: Outlet Length:	6" 152mm 5.75" 146mm 0.727	86113	N/A	012181-861134	—	6	30#	
DURO-FLEX PROFESSIONAL KNEE PADS								
Non-Skid Sure-Grip Soft Shell Knee Pads	—	88504	KP 1	012181-885048	10660	12 pr	17	
Non-Skid Sure-Grip Soft Shell Knee Pads	—	88505	KP 2	012181-885055	10999	12 pr	22	
Rubber Buttons	—	88506	KPRS	012181-885062	3.099	12 sets	3	
Replacement Liners	—	89142	KPB	012181-891421	—	12 sets	1	
Replacement Liners	—	93500	KPRIL	012181-935002	—	12 pr	1	
* Counter Display Available, KP-1D or KP-2D								



New Non-Skid Design

New Roofing Accessories

Roofing Products by IPS



IPS CORPORATION
WELD-ON
PROFESSIONAL
HAND CLEANER WIPES
A Cleaner In A Towel
Removes:
• Solvent cements
PVC, CPVC, ABS
• Primers
• Adhesives
• Sealants
• Dirt, oil, grease
and much more
• Also cleans tools
and equipment

PUMICE HAND CLEANER AND PROFESSIONAL HAND CLEANER WIPES

HAND CLEANER WIPES

- Removes solvent cements, adhesives, sealants, grease, tar and more
- Large 12" x 10" towels will not tear or shred
- Flip top lid closes automatically (helps prevent towels from drying out)
- Hermetically sealed container for longer shelf life
- Contains Aloe and vitamin E
- Refillable

PUMICE HAND CLEANER

- Formulated with Pumice
- Contains skin conditioners
- Easy pour container
- Use with or without water

Product Description	Stock Number	Model Number	UPC BarCode	Units/Case	Lbs./Case
Pint-size liquid hand cleaner	12752	006220000	012181-127520	12	13
2 oz. size liquid hand cleaner	12753	006230000	012181-127537	24	4
10" x 12" Advanced strong hand cleaner wipes	12762	000211000	012181-127629	6	14
Hand Wipe Display Tower	12892		012181-128923	30	75



Manufacturers of **WELD-ON** and **WATER-TITE** Products

202 Industrial Park Lane, Collierville, TN 38027 U.S.A.
Tel: (901) 853-5001 • Fax: (901) 853-5008
Toll Free: (800) 888-8312

455 W. Victoria Street, Compton, CA 90220 U.S.A
Tel: (310) 898-3300 • (310) 898-3390
Toll free: (800) 421-2677

Visit our website at www.ipscorp.com • e-mail: watertite@ipscorp.com